

## Accessoires PVC Egout PVC riooltoebehoren

EN 1401

brun - bruin (RAL 8023)  
Joint fixe - Vaste dichting

### Coudes – Bochten

Type	Ø	Code	p-st./carton	p-st./pal	€/p-st.
<b>RE 1</b> 87°30	110	9159900	25	200	<b>3,02</b>
	125	9165900	10	120	<b>4,65</b>
	160	9270900	10	60	<b>8,91</b>
	200	9271900	3	36	<b>18,14</b>
	250	9272900	-	-	<b>79,35</b>
	315	9273900	-	-	<b>130,68</b>
	400	9274900	-	-	<b>317,45</b>
500	9177900	-	-	*	
<b>RE 2</b> 67°30	110	9158900	25	200	<b>3,37</b>
	125	9166900	10	120	<b>4,77</b>
	160	9278900	10	60	<b>9,92</b>
	200	9279900	-	-	<b>19,50</b>
<b>RE 3</b> 45°	110	9157900	20	240	<b>2,74</b>
	125	9160900	20	160	<b>3,98</b>
	160	9286900	10	80	<b>6,97</b>
	200	9287900	3	36	<b>15,22</b>
	250	9288900	-	-	<b>64,32</b>
	315	9289900	-	-	<b>104,09</b>
	400	9290900	-	-	<b>200,76</b>
500	9178900	-	-	*	
<b>RE 4</b> 30°	110	9196900	25	300	<b>2,98</b>
	125	9180900	25	200	<b>4,28</b>
	160	9185900	15	120	<b>7,34</b>
	200	9186900	4	48	<b>16,07</b>
	250	9181900	-	-	<b>66,71</b>
	315	9182900	-	-	<b>99,21</b>
400	9183900	-	-	<b>204,91</b>	
<b>RE 8</b> 15°	110	9197900	25	300	<b>2,66</b>
	125	9184900	25	200	<b>3,70</b>
	160	9194900	15	120	<b>6,85</b>
	200	9195900	4	48	<b>15,60</b>
	250	9187900	-	-	<b>66,71</b>
	315	9188900	-	-	<b>96,66</b>
400	9189900	-	-	<b>193,29</b>	



\* = sur demande / op aanvraag

EN 1401



## Accessoires PVC Egout PVC riooltoebehoren

brun - bruin (RAL 8023)  
Joint fixe - Vaste dichting


### Tés – T-Stukken

Type	Ø	Code	p-st./carton	p-st./pal	€/p-st.
<b>RE 5</b> 45° 	110	9167900	10	120	<b>5,48</b>
	125	9162900	10	80	<b>7,42</b>
	160	9294900	4	32	<b>15,22</b>
	200	9295900	-	-	<b>30,10</b>
	250	9296900	-	-	<b>132,54</b>
	315	9297900	-	-	<b>253,14</b>
	400	9298900	-	-	<b>445,39</b>
<b>RE 7</b> 87°30' 	110	9163900	15	120	<b>5,30</b>
	125	9309900	10	80	<b>7,27</b>
	160	9310900	5	40	<b>14,51</b>
	200	9311900	-	-	<b>30,47</b>
	250	9312900	-	-	<b>132,54</b>
	315	9313900	-	-	<b>232,27</b>
	400	9314900	-	-	<b>423,69</b>

### Tés réduits – Verloop-T-stukken

<b>RE 33</b> 87°30' 	125/110	9171900	10	80	<b>7,81</b>
	160/110	9319900	5	40	<b>11,52</b>
	160/125	9318900	5	40	<b>13,20</b>
	200/160	9320900	-	-	<b>29,42</b>
	250/200	9323900	-	-	<b>117,00</b>
	315/200	9326900	-	-	<b>203,34</b>
	315/250	9174900	-	-	<b>203,34</b>
<b>RE 34</b> 45° 	125/110	9172900	10	80	<b>7,52</b>
	160/110	9335900	4	48	<b>11,29</b>
	160/125	9334900	5	40	<b>13,34</b>
	200/110	9338900	-	-	<b>24,14</b>
	200/125	9337900	-	-	<b>24,14</b>
	200/160	9336900	-	-	<b>25,99</b>
	250/160	9340900	-	-	<b>71,84</b>
	250/200	9339900	-	-	<b>102,01</b>
	315/110	9387900	-	-	<b>127,51</b>
	315/160	9343900	-	-	<b>131,78</b>
	315/200	9342900	-	-	<b>170,01</b>
315/250	9173900	-	-	<b>219,61</b>	

### Manchons coulissants – Overschuifmoffen


<b>RE 16</b> 	110	9201900	25	300	<b>2,60</b>	
	125	9202900	25	200	<b>4,09</b>	
	160	9203900	15	120	<b>5,79</b>	
	200	9204900	5	40	<b>12,65</b>	
	250	9205900	-	-	<b>31,61</b>	
	315	9206900	-	-	<b>54,27</b>	
	Sans butée d'arrêt Zonder stootrand	400	9207900	-	-	*
		500	9179900	-	-	*

\* = sur demande / op aanvraag


## Accessoires PVC Egout PVC riooltoebehoren

EN 1401


### Manchons doubles – Steekmoffen

Type	Ø	Code	p-st./carton	p-st./pal	€/p-st.	
	<b>RE 81</b>	75	9208900	16	640	<b>4,16</b>
		110	9209900	25	300	<b>2,91</b>
		125	9210900	25	200	<b>4,09</b>
		160	9211900	15	120	<b>6,36</b>
		200	9212900	5	40	<b>11,64</b>
		250	9213900	-	-	<b>31,48</b>
	Avec butée d'arrêt	315	9214900	-	-	<b>57,98</b>
	Met stootrand	400	9215900	-	-	<b>112,87</b>


### Réductions – Redukties

	<b>RE 20</b>	125/110	9164900	25	300	<b>3,28</b>
		160/110	9244900	15	180	<b>5,13</b>
		160/125	9170900	15	180	<b>5,13</b>
		200/125	9245900	-	-	<b>17,31</b>
		200/160	9246900	-	-	<b>10,81</b>
		250/160	9169900	-	-	<b>25,99</b>
		250/200	9247900	-	-	<b>25,99</b>
		315/250	9248900	-	-	<b>57,98</b>
		400/315	9149900	-	-	<b>140,25</b>

### Tés à regards – Ontstoppings-T-stukken

	<b>RE 21</b>	110	9349900	20	-	<b>11,98</b>
		125	9350900	8	-	<b>18,14</b>
		160	9351900	4	-	<b>25,46</b>
		200	9352900	4	-	<b>40,90</b>
		315	9354900	-	-	<b>222,35</b>


### Bouchons à visser – Schroefstoppen

	<b>RE 36</b>	110	9225900	20	-	<b>4,57</b>
		125	9226900	20	-	<b>5,41</b>
		160	9227900	20	-	<b>11,66</b>
		200	9228900	15	-	<b>13,84</b>
		250	9229900	-	-	<b>97,31</b>
		315	9230900	-	-	<b>165,26</b>

Bouchon simple livrable sur demande

Gewone stop op aanvraag leverbaar

### Manchons sablés – Bezande moffen


	<b>RE 82</b>	110	9217900	12	-	<b>6,82</b>
		160	9219900	20	-	<b>10,12</b>
		200	9220900	9	-	<b>14,35</b>
		250	9221900	-	-	<b>27,51</b>
		315	9222900	-	-	<b>49,94</b>
		400	9223900	-	-	<b>81,76</b>

Fabrication sur mesure possible


Productie op maat eveneens mogelijk

## Accessoires PVC Egout PVC riooltoebehoren

### Couvercles – Dekfels

Type	Ø	Code	p-st/carton	€/p-st.	
	<b>RA 83</b>	110	9233300	16	<b>2,24</b>
		125	9234300	125	<b>2,24</b>
		160	9235300	60	<b>4,35</b>
		200	9236300	40	<b>6,22</b>
		250	9237300	20	<b>6,91</b>
		315	9238300	12	<b>9,46</b>
	400	9239300	-	<b>28,19</b>	

### PVC/Grès – PVC/Zandsteen

	Ø A/ØB					
	<b>RE 84</b>	12,5	110/180	9249900	6	<b>12,23</b>
		12,5	125/180	9250900	16	<b>13,17</b>
		15	160/206	9251900	8	<b>22,69</b>


Ø A = Ø diam. intérieur  
binnendiameter

Ø B = idem

### PVC/Fonte – PVC/Gietijzer

	<b>RE 85</b>	5"	110/157	9253900	20	<b>12,65</b>
		5"	125/157	9254900	20	<b>13,36</b>
		6"	160/184	9255900	10	<b>20,07</b>
		8"	200/232	9256900	3	<b>35,68</b>

### PVC/Grès avec joint – PVC/Zandsteen met dichting


	<b>RE 89</b>	110/137	8739900	-	*
		125/166	8740900	-	*
		160/193	8741900	-	*
		200/249	8742900	-	*

\* = sur demande / op aanvraag

Ø A = Ø diam. extérieur  
buitendiameter

Ø B = Ø diam. intérieur  
binnendiameter

### Manchons rétrécissants – Krimpmoffen

	<b>RE 86</b>	110/140	9259900	15	<b>10,76</b>
		125/140	9260900	10	<b>15,85</b>
		160/190	9264900	6	<b>20,44</b>
		200/215	9265900	4	<b>32,81</b>
		200/238	9266900	4	<b>32,81</b>

Ø A = Ø diam. extérieur  
buitendiameter

Ø B = Ø diam. intérieur  
binnendiameter

### Pièces de pénétration PVC/Béton – Indrukmoften PVC/Beton

	<b>RE 87</b>	160 (177,6)	8809100	-	<b>42,65</b>
		200 (230)	8804100	-	<b>64,58</b>

avec 2 joints


met 2 dichtingen

\*PVC/Grès-Zandsteen


## Accessoires PVC Egout PVC riooltoebehoren

EN 1401

### Siphons à regards – Sifons met dubbel toezicht



Type	Ø	Code	p-st/carton	€/p-st.	
	<b>RE 88</b>	110	9356900	3	<b>52,35</b>
		125	9357900	2	<b>64,79</b>
		160	9358900	4	<b>91,55</b>
		200	9359900	2	<b>133,40</b>
	1 bout lisse/1 bout manchonné		1 einde glad/1 einde gemoft		

### Clapets anti-retour – Terugslagkleppen

	<b>RSV</b>	110	9880900	1	<b>133,07</b>
		125	9881900	1	<b>156,15</b>
		160	9882900	1	<b>203,54</b>
		200	9883900	1	*

\* = sur demande / op aanvraag


### Joints à lèvre – Lipringen

	<b>LP 11</b>	75	2611450	–	<b>0,27</b>
		110	2550450	–	<b>0,44</b>
		125	2551450	–	<b>0,70</b>
		160	2552450	–	<b>1,01</b>
		200	2553450	–	<b>1,56</b>
		250	2554450	–	<b>4,05</b>
		315	2555450	–	<b>6,70</b>
		400	2557450	–	<b>12,12</b>
	<b>LP 11 NITRIL</b>	110	2645950	–	<b>5,66</b>
		160	2647950	–	<b>6,52</b>
		200	2648950	–	<b>11,95</b>


résistant aux hydrocarbures

bestand tegen koolwaterstof

### Selles PVC – Buiszadels PVC

	<b>RE 90</b>	200/125	9568100	–	<b>23,11</b>
		250/125	9569100	–	<b>23,11</b>
		250/160	9570100	5	<b>34,92</b>
		315/125	9571100	6	<b>23,11</b>
		315/160	9572100	4	<b>34,92</b>
		400/160	9573100	4	<b>34,92</b>
		500/160	9574100	–	<b>47,88</b>


### Sterfputs – Sterfputten


	<b>ABS</b>	A	110	9365450	4	<b>67,43</b>
		B	110	9366450	4	<b>87,08</b>
		C	110	9367450	4	<b>87,08</b>
		D	110	9368450	4	<b>87,08</b>
		E	110	9369450	4	<b>104,57</b>
		F	110	9370450	4	<b>104,57</b>


## Accessoires PVC Egout PVC riooltoebehoren


 gris - grijs (RAL 7037)  
 Joint fixe - Vaste dichting

### Coudes – Bochten


Type		Ø	Code	p-st/carton	€/p-st.
<b>REGRB 1</b> 87° 	MM	110	9100101	20	<b>6,70</b>
		125	9101101	15	<b>9,38</b>
		160	9102101	5	<b>16,74</b>
		200	9099101	2	<b>35,21</b>
	MS	110	9096101	-	<b>4,57</b>
		125	9097101	12	<b>8,28</b>
160		9098101	-	<b>13,20</b>	


<b>REGRB 3</b> 45° 	MM	110	9103101	20	<b>5,36</b>
		125	9104101	25	<b>7,63</b>
		160	9105101	6	<b>13,29</b>
		200	9095101	6	<b>25,52</b>
	MS	110	9092101	20	<b>4,51</b>
		125	9093101	25	<b>6,05</b>
160		9094101	6	<b>12,72</b>	

<b>REGRB 4</b> 30° 	MM	110	9196101	15	<b>5,56</b>
		160	9106101	6	<b>14,01</b>
	MS	110	9196100	15	<b>4,80</b>
		125	9180101	10	<b>6,56</b>
		160	9185101	6	<b>12,74</b>

<b>REGRB 8</b> 15° 	MM	110	9119101	10	<b>5,56</b>
		160	9118101	6	<b>14,01</b>
	MS	110	9197101	10	<b>4,80</b>
		125	9121101	15	<b>6,56</b>
		160	9194101	6	<b>12,74</b>

### Tés – T-stukken

<b>REGRB 7</b> 87° 	MMM	110	8749101	10	<b>8,14</b>
		125	9107101	12	<b>10,56</b>
		200	9091101	-	<b>41,64</b>
	MMS	110	9089101	-	<b>7,86</b>
		125	9090101	12	<b>8,76</b>

<b>REGRB 5</b> 45° 	MMM	110	9109101	10	<b>10,18</b>
		125	9110101	-	<b>11,39</b>
		160	9111101	5	<b>21,28</b>
		200	9088101	-	<b>40,50</b>
	MMS	110	9086101	-	<b>8,91</b>
		125	9087101	10	<b>9,66</b>

## Accessoires PVC Egout PVC riooltoebehoren

**BENOR**

NBN EN 1401

 gris - grijs (RAL 7037)  
 Joint fixe - Vaste dichting

### Tés réduits – Verloop-T

Type		Ø	Code	p-st/carton	€/p-st.
<b>REGRB 33</b>	MMM	160/125	9078101	4	<b>19,99</b>
87°		200/125	9079101	-	<b>34,56</b>



<b>REGRB 34</b>	MMM	125/110	9081101	8	<b>11,35</b>
45°		160/110	9082101	-	<b>22,10</b>
		200/160	9085101	-	<b>40,30</b>



### Manchons coulissants – Overschuifmoffen

Type		Ø	Code	p-st/carton	€/p-st.
<b>REGRB 16</b>		110	9072101	24	<b>3,59</b>
		125	9073101	20	<b>4,95</b>
		160	9074101	12	<b>7,52</b>
		200	9075101	10	<b>15,53</b>


 Sans butée d'arrêt  
 Zonder stootrand

### Manchons doubles – Steekmoffen

<b>REGRB 81</b>		110	9112101	24	<b>3,59</b>
		125	9113101	20	<b>4,95</b>
		160	9114101	12	<b>7,52</b>
		200	9069101	10	<b>15,53</b>


 Avec butée d'arrêt  
 Met stootrand

### Réductions – Redukties

<b>REGRB 20</b>		125/110	9115101	25	<b>5,58</b>
		160/110	9116101	24	<b>8,56</b>
		160/125	9117101	20	<b>8,93</b>
		200/125	9066101	10	<b>20,28</b>
		200/160	9067101	10	<b>23,61</b>



### Tés à regard – Ontstoppings-T-stukken

<b>REGRB.21</b>		110	9125101	-	<b>10,56</b>
		125	9126101	-	<b>14,35</b>
		160	9127101	-	<b>23,47</b>

